### *Tenda*



All for better networking

4G180
4G LTE Mobile Wi-Fi





## 4G180

#### 4G LTE Mobile Wi-Fi

4G180 is a portable 4G LTE mobile Wi-Fi device that utilizes Wi-Fi 6 technology. It features a large capacity battery and a convenient USB-C charging port design. Moreover, it is compatible with 4100+ global operators, plug and play. It serves as the perfect companion for your travels, outdoor activities, and business trips.

#### **Main Features**



## Wi-Fi 6 Technology, Doubling the Internet Speed

It supports the new generation Wi-Fi 6 technology, the Wi-Fi speed reaches up to 286Mbps. delivering a faster, more stable, and easily shareable on-the-go Wi-Fi experience.



## Compatible with 4100+ Operators, Plug and Play

It integrates SIM cards from 4000+ global operators. Simply insert the SIM card, power on, and connect without any configuration. It allows you to easily connect Wi-Fi wherever you are.

\* The data is sourced from Tenda Lab, and may vary based on the actual network conditions.



## Continuous Use for 8.5H, Durable and Long-lasting

It has a 2100mAh rechargeable lithium battery and supports an energy-saving mode, ensuring longer usage time. Ideal companion for travel, outdoor activities, or business trips.

 $\divideontimes$  Data is sourced from Tenda Lab; battery life and performance may vary based on environmental conditions.



# USB-C Port for More Convenient Charging

It has a USB-C standard charging port, just like a mobile phone, ensuring more convenient charging, making your journey hassle-free.



#### Simple Smart Mobile Management

No need to download APP, simply access 'tendawifi.com' using your mobile browser. Easily view detailed information like data usage, Wi-Fi, battery, etc., and effortlessly configure settings.

### **Specification**

Hardware Specifications			
4G Cartgory	LTE CAT.4		
4G/3G Standards	FDD LTE,TDD-LTE,WCDMA		
Working Bands	4G FDD_LTE:B1/B3/B5/B7/B8/B20; 4G TDD-LTE:Band38/Band40; 3G WCDMA:B1/B5/B8		
Max 4G Speed	DL: 150Mbps; UL: 50Mbps		
Wi-Fi Standards	802.11b/g/n/ax		
Wi-Fi Frequency	2.4GHz		
Wi-Fi Speed	Wi-Fi 6; 2.4GHz:286Mbps		
Wi-Fi transmit Power	2.4GHz:up to 20dBm		
USB Port	USB-C port		
SIM Slot	Nano SIM slot		
Button	Power on/off; Reset hole		
Antennas	2 Internal 4G/3G Antennas; 1 Internal Wi-Fi Antennas		
Indicator	3 LED indicators; Internet status; Wi-Fi status; Battery status		
Battery	Type: Li (rechargeable); Capacity: 3.8V, 2100 mAh,7.98Wh; Working time: up to 8.5hours; Standby time: up to 168hours *depending on the network		
Software Specifications			
WAN Type	4G/3G		
4G/3G Features	Auto-APN; Auto dial-up; Roaming; SMS(Send/Receive/Delete); USSD; Data limted; Power save; PIN Management; USB Tethering		
Wi-Fi Functions	Broadcast and Hide Wi-Fi name		
Wireless Security	WPA3-PSK/WPA2-PS, KWPA-PSK/WPA2-PSK		

03

4G180 | 4G LTE Mobile Wi-Fi

### **Specification**

<b>~</b>	e.	C .	r	
-501	ftware	Specii	ricat	ions

Local management;

DHCP Server;

QOS; Software features

Upgrade firmware from local or OTA;

IPV4/IPV6

Certifications

Certifications

CE Granted;

ROHS Granted; **IPV6 Host** 

**Working Environment** 

Operating Temperature: 0°C~35°C Temperature

Humidity Storage Humidity: 5% ~ 90% RH Non-condensing

**Package Contents** 

1 \* Mobile Wi-Fi; 1 \* USB-C cable;

**Package Contents** 

1 \* Rechargeable Battery; 1 \* Quick Installation Guide

#### SHENZHEN TENDA TECHNOLOGY CO.,LTD.

Tenda Technology Bldg.Int'l E-City, #1001 Zhong Shan Yuan Rd., Nanshan District, Shenzhen China. E-mail:support@tenda.com.cn



