



## CH7–WCA

## 4MP Outdoor Wi-Fi Pan/Tilt Camera

www.tendacn.com



# CH7–WCA

## 4MP Outdoor Wi-Fi Pan/Tilt Camera

## **Products Description**

The Outdoor Wi–Fi Pan/Tilt Camera CH7–WCA, is a high–performance outdoor surveillance camera that integrates 360° visual coverage, Full–Color night vision, 4MP resolution video, full–duplex two–way audio, human detection, vehicle detection, sound and light alarm functions. The product is mostly used for outdoor monitoring scenarios such as courtyard, farms and shops, etc. The users can access the video via wireless or wired connection to the Internet.

## **Selling Points**



#### 4MP Clear Images With More Details

Equipped with a high-performance CMOS image sensor and an F1.6 large aperture lens, the camera can achieve a resolution of 4 MP, providing clear images with more details.



#### Accurate Human and Vehicle Detection

Based on deep learning AI algorithm, precise identification of humans and vehicles can be achieved while irrelevant information is effectively reduced to enhance alarm accuracy.



#### View 360° & Auto-patrol

With dual pan/tilt design and 360° visual coverage, the camera can be remotely controlled. Maximum 6 patrols can be set for automatic patrol to ensure your safety.



#### **Real Dual Antenna**

With accumulation of wireless technology for 20 years and MIMO technology, we can ensure a stable wireless connection of 250 meters. The camera also supports wired connection.



#### Full-color Night Vision

Eqipped with four high-power spotlights and four IR lights, and high sensitive image sensors, your night vision is now lit up and in full-color. There are three available night vision modes: Smart Mode, Full-color Mode, and Black & White Mode.

### **Selling Points**



n Detection, Audio & Light Alert

#### **Connectable To Alexa Assistant**

Connect the device to Alexa to free your hands. You can wake up the screen through voice, view the monitoring image, and control the device more conveniently.

### Smart Human Tracking, Audio & Light Alert

When people enter the monitoring area, the camera will give an audible warning with spotlight flashing (three audio alarms can be customized), the alarm notifications will also be pushed to the smartphone in real time.



#### Two-Way Audio

Equipped with a high-fidelity waterproof microphone and speaker, this camera enables real-time two-way voice communication while simultaneously playing back sound and images.



#### Waterproof and Dustproof

With waterproof and dustproof design, the camera can withstand rainy, sunny, stormy, and even snowy weathers.

## **Technical Specifications**

| Hardware Specifications  |   |
|--------------------------|---|
| Pan/Tilt                 | Horizontal viewing: 360°<br>Horizontal rotation: 355°<br>Vertical rotation: 90°   |
| Ports                    | Storage: Micro SD card (Up to 256G, Class10 and above)<br>Power: DC 12V 1A<br>Ethernet: One RJ45, 10M/100M auto-negotiation Ethernet port |
| Lens                     | 4mm@F1.6, view angle: 108° diagonal, 90° horizontal, 47° vertical   |
| Button                   | Reset x 1   |
| LED Indicator            | Dual color (red & blue) LED indicator x 1   |
| Antenna                  | Dual external antennas  |
| Dimension                | 138mm*120mm*187mm   |
| Video Specifications     |   |
| Resolution               | 2560 x 1440   |
| Coding Standard          | H.265/H.264   |
| Frame Rate               | Up to 30fps   |
| Day and Night Shift Mode | ICR type  |
| Noise Reduction          | 3D digital noise reduction  |
| DWDR                     | Support   |
| Backlight Compensation   | Support   |
| ROI                      | Support   |
| Wireless Specifications  |   |
| Wireless Standard        | IEEE 802.11b/g/n @2.4GHz  |
| Wireless Rate            | 300Mbps   |
| Security                 | 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK  |
| Channel Width            | 20/40 MHz   |
| Modulation               | DSSS/OFDM   |
| Frequency Band           | 2.4GHz(DSSS/OFDM): 2412MHz-2472MHz(CH1-CH13)  |
| Transmit Power           | 2.4GHz: <0.04W(EIRP)  |

| Others                |  |
|-----------------------|--|
| Smart Alarm           | Motion detection&Vehicle detection&Human detection&Hu -man tracking  |
| Supplementary Light   | Two IR lights, two spotlights  |
| Alarm                 | Sound&light alarm  |
| Audio                 | Full-duplex two-way audio  |
| DIY Audio             | Up to 3 customized audios  |
| Night Vision Distance | 30 meters (Depending on environment)   |
| ONVIF Protocol        | Support  |
| Auto Patrol           | Panoramic patrol&Preset patrol   |
| Presets               | 6  |
| Temperature           | Operating temperature: -30°C~60°C<br>Storage temperature: -40°C~70°C   |
| Humidity              | Operating humidity: 10%~95%RH (non-condensing)<br>Storage humidity: 3%~95%RH (non-condensing)  |
| Waterproof Level      | IP65   |
| Certification         | CE, RoHS, FCC, RCM, UKCA   |
| Package Contents      | Outdoor Wi–Fi Camera, Power Adapter (cord length: 3m),<br>Mounting Bracket, Mounting Accessories Kit, Waterproof Kit,<br>Quick Installation Guide. |

#### SHENZHEN TENDA TECHNOLOGY CO.,LTD.

Tenda Technology Bldg.Int<sup>2</sup> IE-City, #1001 Zhong Shan Yuan Rd.,Nanshan District,Shenzhen China.

E-mail:support@tenda.com.cn Tel:+86-755-2765 7098 Fax:+86-755-2765 7178 PC:518055



